



CB3118-12A Reloading Data ~ 1 1/8 Ounce Shot Loads

Remington Premier Hull

Primer	Dram Equiv.	Powder	Grains	Velocity F.P.S.	Pressure P.S.I
REM209	E.L.	700 X	16	1120	9000
REM209	2 3/4	700 X	17.5	1150	9950
REM209	3	700 X	18.0	1200	10000
REM209	E.L.	Red Dot	16.5	1120	9750
REM209	2 3/4	Red Dot	17.5	1150	10150
REM209	3	Red Dot	18.0	1200	10250
REM209	E.L.	Green Dot	18.0	1120	8600
REM209	2 3/4	Green Dot	19.5	1150	9300
REM209	3	Green Dot	20.0	1200	9750
REM209	E.L.	Solo 1000	18.0	1120	8900
REM209	2 3/4	Solo 1000	19.0	1150	9700
REM209	3	Solo 1000	20.0	1200	9750
REM209	E.L.	P.B.	20.0	1120	7650
REM209	2 3/4	P.B.	21.0	1150	8350
REM209	3	P.B.	21.5	1200	8700
REM209	E.L.	Super Target	18.5	1120	8350
REM209	2 3/4	Super Target	19.5	1150	8650
REM209	3	Super Target	20.0	1200	8800
REM209	E.L.	Scot 453	17.5	1120	8480
REM209	2 3/4	Scot 453	18.0	1150	8680
REM209	3	Scot 453	18.5	1200	9000
REM209	E.L.	Royal Scot D	19.0	1120	6800
REM209	2 3/4	Royal Scot D	20.0	1150	7360
REM209	3	Royal Scot D	20.5	1200	7920
REM209	E.L.	Super Lite	17.5	1120	6140
REM209	2 3/4	Super Lite	18.0	1150	6970
REM209	3	Super Lite	18.5	1200	7900

1 1/4 Ounce Shot Loads

Primer	Dram Equiv.	Powder	Grains	Velocity F.P.S.	Pressure P.S.I
REM209		800X	24.0		9390
REM209		800X	25.0		9800

CB 3118-12-A Reloading Data ~ 1 1/8 Ounce Shot Loads

Winchester AA Hull

Primer	Dram Equiv.	Powder	Grains	Velocity F.P.S.	Pressure P.S.I
AA209	E.L.	700 X	15.5	1120	9950
AA209	3	700 X	17.0	1200	10600
AA209	E.L.	Red Dot	16.5	1120	9820
AA209	2 3/4	Red Dot	17.5	1150	10300
AA209	3	Red Dot	18	1200	11030
AA209	E.L.	Green Dot	17.5	1120	9300
AA209	2 3/4	Green Dot	18.0	1150	9500
AA209	3	Green Dot	19.0	1200	10400
AA209	E.L.	Solo 1000	17.5	1120	9070
AA209	2 3/4	Solo 1000	19.0	1150	10150
AA209	3	Solo 1000	19.5	1200	10460
AA209	E.L.	P.B.	20.0	1120	8610
AA209	2 3/4	P.B.	20.5	1150	8710
AA209	3	P.B.	21.5	1200	9140
AA209	E.L.	Super Target	17.5	1120	8310
AA209	2 3/4	Super Target	18.5	1150	9040
AA209	3	Super Target	19.5	1200	9760
AA209	E.L.	Scot 453	17.0	1120	7720
AA209	2 3/4	Scot 453	17.5	1150	8060
AA209	3	Scot 453	18.0	1200	8560
AA209	E.L.	Royal Scot D	19.0	1120	7440
AA209	2 3/4	Royal Scot D	19.5	1150	7720
AA209	3	Royal Scot D	20.0	1200	8880
AA209	E.L.	Super Lite	17.0	1120	7000
AA209	2 3/4	Super Lite	18.0	1150	8050
AA209	3	Super Lite	18.5	1200	9250

1 1/8 Ounce Shot Loads

Primer	Dram Equiv.	Powder	Grains	Velocity F.P.S.	Pressure P.S.I
AA209		800X	23.0	1225	9800
AA209		800X	24.0	1250	10000