



CB6100-12 Reloading Data ~ 1 Ounce Shot Loads

All Straight Wall Hulls Including Imports

----- Plastic hull Data -----

Primer	Powder	Grains	Velocity F.P.S.	Pressure P.S.I
Fed 209A	American Select	19	1200	5910
Fed 209A	American Select	20.5	1250	6790
Fed 209A	American Select	21.5	1290	7290
Fed 209A	Clay Dot	18	1200	6040
Fed 209A	Clay Dot	19	1250	7170
Fed 209A	Clay Dot	20	1290	7970
Fed 209A	e3	16.5	1200	6780
Fed 209A	Green Dot	19.5	1200	5980
Fed 209A	Green Dot	20.5	1250	6860
Fed 209A	Green Dot	22	1290	7230
Fed 209A	Red Dot	18	1200	6550
Fed 209A	Red Dot	19	1250	6790
Fed 209A	Red Dot	20	1290	7910
CCI 209	American Select	19.5	1200	5790
CCI 209	Clay Dot	17.5	1200	5960
CCI 209	e3	16.5	1200	6290
CCI 209	e3	18	1250	7270
CCI 209	e3	18.5	1290	7470
CCI 209	Red Dot	18	1200	6430

----- Paper hull Data -----

Primer	Powder	Grains	Velocity F.P.S.	Pressure P.S.I
Fed 209A	American Select	19.5	1200	6510
Fed 209A	American Select	21	1250	7290
Fed 209A	American Select	21.5	1290	7930
Fed 209A	Clay Dot	18.5	1200	8610
Fed 209A	Clay Dot	19.5	1250	8240
Fed 209A	Clay Dot	20.5	1290	9210
Fed 209A	e3	17	1200	7520
Fed 209A	e3	18	1250	7960
Fed 209A	e3	19	1290	8820
Fed 209A	Green Dot	20.5	1200	6850
Fed 209A	Green Dot	22	1250	7240
Fed 209A	Red Dot	18	1200	7680
Fed 209A	Red Dot	19	1250	8410
Fed 209A	Red Dot	20.5	1290	8730