



CB1075-20 Reloading Data ~ 3/4 Ounce Shot Loads

Federal Hulls

Primers	Powder	Grains	Velocity FPS	Approx. Pressure PSI
Fed 209 A	Green Dot	13.0 grs	1150	8300
Fed 209 A	Green Dot	14.0 grs	1200	9200
Fed 209 A	Green Dot	15.0 grs	1250	10100
Fed 209 A	Unique	14.4 grs	1150	7400
Fed 209 A	Unique	15.4 grs	1200	7900
Fed 209 A	Unique	16.4 grs	1250	8500
Fed 209 A	20/28	15.5 grs	1200	7800
Fed 209 A	20/28	16.5 grs	1250	8300

Remington Unibody Hulls

Primers	Powder	Grains	Velocity FPS	Approx. Pressure PSI
REM 209 STS	Green Dot	12.9 grs	1150	8700
REM 209 STS	Green Dot	13.3 grs	1200	9700
<i>REM 209 STS</i>	Green Dot	14.5 grs	1250	10800
<i>REM 209 STS</i>	Unique	14.3 grs	1150	7600
<i>REM 209 STS</i>	Unique	14.8 grs	1175	8100
<i>REM 209 STS</i>	Unique	15.4 grs	1200	8400
REM 209 STS	Unique	16.2 grs	1250	9000
<i>REM 209 STS</i>	20/28	14.1 grs	1175	7100
<i>REM 209 STS</i>	20/28	14.6 grs	1200	7400
<i>REM 209 STS</i>	20/28	15.3 grs	1250	8100

Remington RXP, Premier and STS Hulls

Primers	Powder	Grains	Velocity FPS	Approx. Pressure PSI
Ched. 209	Internat'l	13.0 grs	1150	8800
Ched. 209	Internat'l	13.9 grs	1200	10400
Ched. 209	Internat'l	14.9 grs	1250	12000
Rem. 209P	Internat'l	13.1 grs	1150	8000
Rem. 209P	Internat'l	14.0 grs	1200	10000
Rem. 209P	Internat'l	14.7 grs	1250	11700
Win. 209	Internat'l	12.9 grs	1150	9100
Win. 209	Internat'l	13.9 grs	1200	10600
Win. 209	Internat'l	14.9 grs	1250	12000
Ched. 209	PB	14.8 grs	1150	8600
Ched. 209	PB	15.8 grs	1200	9400
Ched. 209	PB	16.9 grs	1250	10300
Rem. 209P	PB	14.8 grs	1150	8200
Rem. 209P	PB	15.9 grs	1200	9400
Rem. 209P	PB	16.9 grs	1250	10400
Win. 209	PB	14.9 grs	1150	8200

CB1075-20 Reloading Data ~ 3/4 Ounce Shot Loads

Remington RXP, Premier and STS Hulls ...continued

Primers	Powder	Grains	Velocity FPS	Approx. Pressure PSI
Win. 209	PB	16 grs	1200	9400
Win. 209	PB	17 grs	1250	10500
Ched. 209	Super Hcp	12.8 grs	1150	9100
Ched. 209	Super Hcp	13.7 grs	1200	10200
Ched. 209	Super Hcp	14.6 grs	1250	11300
Rem. 209P	Super Hcp	12.7 grs	1150	8900
Rem. 209P	Super Hcp	13.8 grs	1200	10200
Rem. 209P	Super Hcp	14.8 grs	1250	11500
Win. 209	Super Hcp	12.8 grs	1150	8600
Win. 209	Super Hcp	13.8 grs	1200	9900
Win. 209	Super Hcp	14.8 grs	1250	11100

Winchester AA Hulls

Primers	Powder	Grains	Velocity FPS	Approx. Pressure PSI
Ched. 209	Internat'l	13.8 grs	1200	11900
Rem. 209P	Internat'l	12.5 grs	1150	9000
Rem. 209P	Internat'l	13.7 grs	1200	11200
Win. 209	Internat'l	12.6 grs	1150	10000
Win. 209	Internat'l	14.0 grs	1200	11700
Ched. 209	PB	14.0 grs	1150	9300
Ched. 209	PB	15.5 grs	1200	10500
Ched. 209	PB	16.7 grs	1250	11400
Rem. 209P	PB	13.9 grs	1150	8400
Rem. 209P	PB	15.8 grs	1200	10300
Rem. 209P	PB	16.7 grs	1250	11100
Win. 209	PB	14.2 grs	1150	9200
Win. 209	PB	15.5 grs	1200	10100
Win. 209	PB	16.9 grs	1250	11000
Ched. 209	Super Hcp	12.5 grs	1150	9900
Ched. 209	Super Hcp	13.5 grs	1200	11000
Rem. 209P	Super Hcp	12.5 grs	1150	9700
Rem. 209P	Super Hcp	13.5 grs	1200	10900
Win. 209	Super Hcp	12.5 grs	1150	9700
Win. 209	Super Hcp	13.5 grs	1200	10900