



CB0175-12 Reloading Data ~ 3/4 Ounce Shot Loads

Windchester AA -HS

Shot Wgt	Powder	Grains	Primer	Velocity	Pressure
3/4	Extra-Lite	14.5	Win 209	1225	6900
3/4	Extra-Lite	15	Win 209	1260	7300
3/4	Extra-Lite	16	Win 209	1300	7600
3/4	Red Dot	15.2	Win 209	1200	5900
3/4	Red Dot	16	Win 209	1250	6300
3/4	Red Dot	16.5	Win 209	1300	6700
3/4	Clay Dot	15.5	Win 209	1200	5800
3/4	Clay Dot	16	Win 209	1250	6250
3/4	Clay Dot	16.7	Win 209	1300	6550

Federal Gold Medal Plastic

Shot Wgt	Powder	Grains	Primer	Velocity	Pressure
3/4	Extra-Lite	14.5	Fed 209A	1200	6100
3/4	Extra-Lite	15	Fed 209A	1250	6600
3/4	Extra-Lite	16	Fed 209A	1300	7000
3/4	Red Dot	15.5	Fed 209A	1200	5500
3/4	Red Dot	16.5	Fed 209A	1250	5900
3/4	Red Dot	17.3	Fed 209A	1300	6200
3/4	Clay Dot	15.5	Fed 209A	1200	5600
3/4	Clay Dot	17.5	Fed 209A	1250	6250
3/4	Clay Dot	18	Fed 209A	1300	6450

Remington STS

Shot Wgt	Powder	Grains	Primer	Velocity	Pressure
3/4	Extra-Lite	14.5	Rem 209P	1200	6300
3/4	Extra-Lite	15	Rem 209P	1250	6900
3/4	Extra-Lite	16	Rem 209P	1310	7300
3/4	Red Dot	15	Rem 209P	1200	5750
3/4	Red Dot	16	Rem 209P	1250	6200
3/4	Red Dot	17	Rem 209P	1300	6350
3/4	Clay Dot	15	Rem 209P	1200	5600
3/4	Clay Dot	16	Rem 209P	1250	6100
3/4	Clay Dot	17	Rem 209P	1300	6400

Remington STS, NITRO 27, or GUN CLUB PLASTIC SHELLS

Shot Wgt	Powder	Grains	Primer	Velocity	Pressure
3/4 oz.	Titewad	15	Ched. 209	1150	7200 PSI
3/4 oz.	Titewad	15.9	Ched. 209	1200	8100 PSI

Sheet1

3/4 oz.	Titewad	16.8	Ched. 209	1250	9000 PSI
3/4 oz.	Titewad	17.8	Ched. 209	1300	10,000 PSI
3/4 oz.	Titewad	15.5	Fed. 209A	1150	7900 PSI
3/4 oz.	Titewad	16.3	Fed. 209A	1200	9000 PSI
3/4 oz.	Titewad	17.2	Fed. 209A	1250	10,200 PSI
3/4 oz.	Titewad	15.1	Rem. 209P	1150	6700 PSI
3/4 oz.	Titewad	16.3	Rem. 209P	1200	7900 PSI
3/4 oz.	Titewad	17.4	Rem. 209P	1250	9100 PSI
3/4 oz.	Titewad	18.5	Rem. 209P	1300	10,200 PSI
3/4 oz.	Titewad	15.5	Win. 209	1150	6700 PSI
3/4 oz.	Titewad	16.6	Win. 209	1200	7700 PSI
3/4 oz.	Titewad	17.8	Win. 209	1250	8600 PSI
3/4 oz.	Titewad	18.9	Win. 209	1300	9600 PSI
3/4 oz.	Clays	15.9	Ched. 209	1150	7200 PSI
3/4 oz.	Clays	16.6	Ched. 209	1200	8100 PSI
3/4 oz.	Clays	17.3	Ched. 209	1250	9000 PSI
3/4 oz.	Clays	18.1	Ched. 209	1300	10,000 PSI
3/4 oz.	Clays	14.1	Fed. 209A	1150	7100 PSI
3/4 oz.	Clays	15.3	Fed. 209A	1200	8900 PSI
3/4 oz.	Clays	16.8	Fed. 209A	1250	11,200 PSI
3/4 oz.	Clays	16.2	Rem. 209P	1150	6200 PSI
3/4 oz.	Clays	17	Rem. 209P	1200	7100 PSI
3/4 oz.	Clays	17.8	Rem. 209P	1250	8000 PSI
3/4 oz.	Clays	18.5	Rem. 209P	1300	8800 PSI
3/4 oz.	Clays	16.1	Win. 209	1150	7500 PSI
3/4 oz.	Clays	16.8	Win. 209	1200	8200 PSI
3/4 oz.	Clays	17.6	Win. 209	1250	9000 PSI
3/4 oz.	Clays	18.3	Win. 209	1300	9700 PSI
3/4 oz.	Clays	16.4	Win. 209	1200	6400 PSI
3/4 oz.	Clays	17.3	Win. 209	1250	7000 PSI
3/4 oz.	Clays	18.1	Win. 209	1300	7600 PSI
3/4 oz.	700-X	14.4	Ched. 209	1150	7900 PSI
3/4 oz.	700-X	15.3	Ched. 209	1200	8900 PSI
3/4 oz.	700-X	16.2	Ched. 209	1250	9900 PSI
3/4 oz.	700-X	17	Ched. 209	1300	10,800 PSI
3/4 oz.	700-X	13.2	Fed. 209A	1150	7600 PSI
3/4 oz.	700-X	14.4	Fed. 209A	1200	8900 PSI
3/4 oz.	700-X	15.5	Fed. 209A	1250	10,200 PSI
3/4 oz.	700-X	16.6	Fed. 209A	1300	11,400 PSI
3/4 oz.	700-X	14.3	Rem. 209P	1150	7000 PSI
3/4 oz.	700-X	15.4	Rem. 209P	1200	8200 PSI
3/4 oz.	700-X	16.4	Rem. 209P	1250	9300 PSI
3/4 oz.	700-X	17.4	Rem. 209P	1300	10,400 PSI
3/4 oz.	700-X	13.7	Win. 209	1150	7200 PSI
3/4 oz.	700-X	14.8	Win. 209	1200	8300 PSI
3/4 oz.	700-X	16	Win. 209	1250	9600 PSI
3/4 oz.	700-X	17	Win. 209	1300	10,600 PSI