

**CB 6100-12 RELOADING DATA**  
**1 Ounce Shot Loads**  
**ALL STRAIGHT WALL HULLS INCLUDING IMPORTS**

*Plastic hull data*

<i>Primers</i>	<i>Powder</i>	<i>Grains</i>	<i>Velocity FPS</i>	<i>Approx. Pressure PSI</i>
Fed 209A	American Select®	19.0 grs	1200	5910 psi
Fed 209A	American Select®	20.5 grs	1250	6790 psi
led 209A	American Select®	21.5 grs	1290	7290 psi
Fed 209A	Clay Dot™	18.0 grs	1200	6040 psi
Fed 209A	Clay Dot™	19.0 grs	1250	7170 psi
Fed 209A	Clay Dot™	20.0 grs	1290	7970 psi
Fed 209A	e3®	16.5 grs	1200	6780 psi
Fed 209A	Green Dot®	19.5 grs	1200	5980 psi
Fed 209A	Green Dot®	20.5 grs	1250	6860 psi
Fed 209A	Green Dot®	22.0 grs	1290	7230 psi
Fed 209A	Red Dot®	18.0 grs	1200	6550 psi
Fed 209A	Red Dot®	19.0 grs	1250	6790 psi
Fed 209A	Red Dot®	20.0 grs	1290	7910 psi
CCI 209	American Select®	19.5 grs	1200	5790 psi
CCI 209	Clay Dot™	17.5 grs	1200	5960 psi
CCI 209	e3®	16.5 grs	1200	6290 psi
CCI 209	e3®	18.0 grs	1250	7270 psi
CCI 209	e3®	18.5 grs	1290	7470 psi
CCI 209	Red Dot®	18.0 grs	1200	6430 psi

*Paper hulls data*

Fed 209A	American Select®	19.5 grs	1200	6510 psi
Fed 209A	American Select®	21.0 grs	1250	7290 psi
Fed 209A	American Select®	21.5 grs	1290	7930 psi
Fed 209A	Clay Dot™	18.5 grs	1200	8240 psi
Fed 209A	Clay Dot™	19.5 grs	1250	8610 psi
Fed 209A	Clay Dot™	20.5 grs	1290	9210 psi
Fed 209A	e3®	17.0 grs	1200	7520 psi
Fed 209A	c3®	18.0 grs	1250	7960 psi
Fed 209A	e3®	19.0 grs	1290	8820 psi
Fed 209A	Green Dot®	20.5 grs	1200	6850 psi
Fed 209A	Green Dot®	22.0 grs	1250	7240 psi
Fed 209A	Red Dot®	18.0 grs	1200	7680 psi
Fed 209A	Red Dot®	19.0 grs	1250	8410 psi
Fed 209A	Red Dot®	20.5 grs	1290	8730 psi